

DIRECTIVE NO.540-WI-8072.1.2AAPPROVED BY Signature:Original signed byEFFECTIVE DATE:07/29/2004NAME:Stanley Y. ChanEXPIRATION DATE:07/29/2009TITLE:RECERT Manager

**Responsible Office:** 540/RECERT

**Title:** Recertification of Lifting Devices (LD) And Equipment (LE)

#### **PREFACE**

### P.1 PURPOSE

This Procedure describes the step-by-step process to be used by Recertification Program (RECERT) Support Function personnel for the Recertification of Lifting Devices and Equipment (LDE) that include Lifting Devices (LD) and Lifting Equipment (LE).

#### P.2 APPLICABILITY

This Procedure is applicable to LDE recertification activities at Greenbelt, MD and at the Wallops Flight Facility, VA.

### P.3 REFERENCES

P3.1 GMI 1710.6, Certification and Recertification of Lifting Devices and Equipment and Critical Lift Requirements.

P3.2 540-PG-8072.1.1, Certification and Recertification of Lifting Devices and Equipment (Recertification Program)

## P.4 CANCELLATION

540-WI-8072.1.2, Recertification of Lifting Devices (LD) And Equipment (LE)

## P.5 TOOLS, EQUIPMENT, AND MATERIALS

Applicable LDE certification procedures shall include any special tools, equipment, or materials necessary for certification of LDE.

## P.6 SAFETY PRECAUTIONS AND WARNINGS

Safety, caution and warning notes unique to LDE certification shall be included in applicable certification procedures.

DIRECTIVE NO.	540-WI-8072.1.2A	Page 2 of 6
EFFECTIVE DATE:	07/29/2004	
<b>EXPIRATION DATE:</b>	07/29/2009	

# P.7 TRAINING

None

## P.8 RECORDS

Record Title	Record Custodian	Retention
Test & Inspection Reports for LDE	RECERT Manager for Greenbelt, Deputy RECERT Manager at WFF	PERMANENT – pending approval of record schedule.

# P.9 METRICS

None

# P.10 DEFINITIONS

None

DIRECTIVE NO. 5	540-WI-8072.1.2A	Page 3 of 6
<b>EFFECTIVE DATE:</b> 0	07/29/2004	
EXPIRATION DATE: _0	07/29/2009	

## **INSTRUCTIONS**

The following STEPS are sequential unless noted otherwise.

### **ACTION\***

- (E) A. For the first LD or structural LE Recertification, develop a LD- or LE-specific Recertification Procedure to include at least the following. For simple, nonstructural LE (shackles, rings, etc.) a generic Recertification Procedure must include at least items 2, 3, and 4 below. A table of values may be provided to comply with item 3.
  - 1. Identification of LE critical welds.
  - 2. Type and extent of NDT, including visual inspections, to be performed prior to Rated Load Test. Acceptance criteria must be provided.
  - 3. Step-by-step procedure for Rated Load Test, including the applied test load. Note: This procedure may be generic for multiple types of LE.
  - 4. Type and extent of NDT, including acceptance criteria, to be performed subsequent to Rated Load Test.
- (E) B. For subsequent LD or structural LE Recertifications, review existing LD- or LE-specific Recertification Procedure for continued applicability. (If the configuration has changed, or if the LD or LE has been structurally modified, follow 540-WI-8072.1.1, Certification of New or Modified Lifting Devices (LD) and Equipment (LE)).
- (E) C. Obtain RECERT Manager's approval of Recertification Procedure.
- (I) D. Perform pre-Rated Load Test NDT.
  - 1. If acceptable, proceed to STEP E.
  - 2. If unacceptable, the item is rejected. Proceed as directed by the RECERT Manager.
- (I) E. Perform Rated Load Test.
  - 1. If acceptable, proceed to STEP F.
  - 2. If unacceptable, the item is rejected. Proceed as directed by the RECERT Manager.
- (I) F. Perform post-Rated Load Test NDT.
  - 1. If acceptable, proceed to STEP G.
  - 2. If unacceptable, the item is rejected. Proceed as directed by the RECERT Manager.
- (I) G. Apply applicable Recertification Tag(s) (see Attachments), and release for service or return to Owner/User.

DIRECTIVE NO.	540-WI-8072.1.2A	Page 4 of
EFFECTIVE DATE:	07/29/2004	
<b>EXPIRATION DATE:</b>	07/29/2009	


- (E) H. Obtain RECERT Manager approval of Recertification and file Procedure and Recertification Documentation in RECERT Master Files.
- (CSV) J. Update Certification Status Verification (CSV) System to include Certified LD and/or LE as applicable.


<sup>\*</sup> LEGEND: (E) – Engineering; (I) – Inspection; (CSV) – Certification Status Verification

DIRECTIVE NO.	540-WI-8072.1.2A
<b>EFFECTIVE DATE:</b>	07/29/2004
<b>EXPIRATION DATE:</b>	07/29/2009

# **RECERT LDE Tags**

Note: Typical GSFC Greenbelt tags are shown. WFF tags are similar but include WFF-specific designation and contact information.





 DIRECTIVE NO.
 540-WI-8072.1.2A
 Page 6 of 6

 EFFECTIVE DATE:
 07/29/2004

 EXPIRATION DATE:
 07/29/2009

# **CHANGE HISTORY LOG**

Revision	Effective Date	Description of Changes
Baseline	02/22/2000	Initial Release
A	07/29/2004	Clarified that this WI is for RECERT Support Function personnel use in P1. Reworded STEPS D.2, E.2 and F.2 to remove mandatory NCR requirements for unacceptable NDT. Referred to Attachments for applicable certification tags in STEP G.